n date n date NN 1: Identificatio Product identifie	according to Regulation (EC CLINEX 12th August 2014 15th April 2021	Wood&Pane	
n date ON 1: Identificatio	12th August 2014		
N 1: Identificatio	-		
		Version	4.0
Product identifie	on of the substance/mixture	and of the company	//undertaking
	r	CLINEX Woo	d&Panel
Substance / mixtur	re la	mixture	
Number		M-06102016	
UFI		E86D-Q456-	MX0J-F6E7
Relevant identifie	ed uses of the substance or	mixture and uses ad	vised against
Mixture's intende	ed use		
A liquid for cleaning	g laminated and varnished woo	den floors.	
	e		
		oducts	
	-		
			ction 1.
	oplier of the safety data she	et	
Producent			DISTRIBUTEUR SUISSE:
			SIPAEC S.A
			RUE PEDRO MEYLAN 1
			1208 GENEVE
			TEL. 022/840.51.00
			FAX. 022/840.51.06
6			SIPAEC@SIPAEC.CH
Competent perso	on responsible for the safety	data sneet	
Tél (en cas d	d'urgence): Tox Info Suisse : 1	45	
	Mixture's intende A liquid for cleaning Main intended us PC-CLN-13.1 Mixture uses adv The product should Details of the sup Producent	Mixture's intended use A liquid for cleaning laminated and varnished woo Main intended use PC-CLN-13.1 Floor cleaning pro Mixture uses advised against The product should not be used in ways other the Details of the supplier of the safety data she Producent Competent person responsible for the safety	A liquid for cleaning laminated and varnished wooden floors. Main intended use PC-CLN-13.1 Floor cleaning products Mixture uses advised against The product should not be used in ways other then those referred in Sec Details of the supplier of the safety data sheet

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye irritation.

2.2. Label elements





Hazard statements	
H319	Causes serious eye irritation.
Precautionary statements	
P280	Wear protective gloves.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
Supplemental information	

1/8

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel

Creation date	12th August 2014					
Revision date	15th April 2021	Version	4.0			
<5.0% appionic surfactante <5.0% non ionic surfactante porfumes; Amul sinnamal Linglool Limonono, prospruativos;						

<5 % anionic surfactants, <5 % non-ionic surfactants, perfumes: Amyl cinnamal, Linalool, Limonene, preservatives: octylisothiazolinone, 2-bromo-2-nitropropane-1,3-diol

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68439-46-3	Alcohol ethoxylates		Acute Tox. 4, H302 Eye Dam. 1, H318	
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6	ethanol	1-2	Flam. Liq. 2, H225	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes Causes serious eye irritation. If swallowed Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel

Creation date Revision date

Version

4.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

12th August 2014

15th April 2021

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s) not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel

Creation date	12th August 2014			
Revision date	15th April 2021	Version	4.0	

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state	liquid
	Colour	characteristic
	Odour	characteristic
	Melting point/freezing point	data not available
	Boiling point or initial boiling point and boiling range	data not available
	Flammability	data not available
	Lower and upper explosion limit	data not available
	Flash point	data not available
	Auto-ignition temperature	data not available
	Decomposition temperature	data not available
	pH	10 (undiluted)
	Kinematic viscosity	data not available
	Solubility in water	soluble
	Partition coefficient n-octanol/water (log value)	data not available
	Vapour pressure	data not available
	Density and/or relative density	
	Density	1 g/cm ³
	Relative vapour density	data not available
	Particle characteristics	data not available
	Form	
•	Other information	
	not available	

SECTION 10: Stability and reactivity

10.1.	Reactivity
	not available
10.2.	Chemical stability
	The product is stable under normal conditions.
10.3.	Possibility of hazardous reactions
	Unknown.
10.4.	Conditions to avoid
	The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.
10.5.	Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

9.2.

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel

Creation date	12th August 2014		
Revision date	15th April 2021	Version	4.0

Acute toxicity

Based on available data the classification criteria are not met.

Alcohol ethoxylates

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	1.192 mg/kg		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

- **12.2.** Persistence and degradability The mixture is biodegradable.
- 12.3. Bioaccumulative potential
- Data not available.
- 12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel

Creation date Revision date 12th August 2014 15th April 2021

Version

4.0

not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information					
A list of standard	A list of standard risk phrases used in the safety data sheet				
H225	Highly flammable liquid and vapour.				
H302	Harmful if swallowed.				
H318	Causes serious eye damage.				
H319	Causes serious eye irritation.				
Guidelines for sat	fe handling used in the safety data sheet				
P280	Wear protective gloves.				

	CLINEX	Wood&Panel	
eation date	12th August 2014		
evision date	15th April 2021	Version	4.0
P305+P351+P338			several minutes. Remove contact lenses
		to do. Continue rinsing.	
P405	Store locked up.		
-	nformation about human he	-	
	ot be - unless specifically appr . The user is responsible for ad		er/importer - used for purposes other th alth protection regulations.
Key to abbreviation	ons and acronyms used in th	-	
ADR	European agreeme road	ent concerning the interna	ational carriage of dangerous goods by
BCF	Bioconcentration F	actor	
CAS	Chemical Abstracts	s Service	
CLP	Regulation (EC) No substance and mix		tion, labelling and packaging of
EINECS	European Inventor	y of Existing Commercial	Chemical Substances
EmS	Emergency plan		
EuPCS	European Product	Categorisation System	
IATA	International Air T	ransport Association	
IBC	International Code Dangerous Chemic		d Equipment of Ships Carrying
ICAO	International Civil	Aviation Organization	
IMDG	International Marit	ime Dangerous Goods	
INCI	International Nom	enclature of Cosmetic Ing	gredients
ISO	International Orga	nization for Standardizati	on
IUPAC	International Union	n of Pure and Applied Che	emistry
LD50	Lethal dose of a su population	bstance in which it can b	e expected death of 50% of the
log Kow	Octanol-water par	tition coefficient	
LZO	Volatile organic co	mpounds	
MARPOL	International Conv	ention for the Prevention	of Pollution from Ships
OEL	Occupational Expo	sure Limits	
PBT	Persistent, Bioaccu	imulative and Toxic	
ppm	Parts per million		
REACH	Registration, Evalu	ation, Authorisation and	Restriction of Chemicals
RID	Agreement on the	transport of dangerous g	oods by rail
UE	European Union		
UN	Four-figure identifi Model Regulations	cation number of the sub	stance or article taken from the UN
UVCB	Substances of unk biological material		ition, complex reaction products or
vPvB	Very Persistent an	d very Bioaccumulative	
WE	Identification code	for each substance listed	in EINECS
Acute Tox.	Acute toxicity		
Eye Dam.	Serious eye dama	je	
Eye Irrit.	Eye irritation		
Flam. Liq. Training guideline	Flammable liquid		

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

7/8

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

according to Regulation (EC) No 1907/2006 (REACH) as amended

CLINEX Wood&Panel				
Creation date	12th August 2014			
Revision date	15th April 2021	Version	4.0	

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.